

Effective anti-Alzheimer Ab therapy involves depletion of specific A oligomer subtypes

Elyse M. Knight, Soong Ho Kim, Jessica C. Kottwitz, et al.
Neurol Neuroimmunol Neuroinflamm 2016;3;
DOI 10.1212/NXI.0000000000000237

This information is current as of May 10, 2016

Updated Information & Services	including high resolution figures, can be found at: http://nn.neurology.org/content/3/3/e237.full.html
Supplementary Material	Supplementary material can be found at: http://nn.neurology.org/content/suppl/2016/05/10/3.3.e237.DC1
References	This article cites 39 articles, 8 of which you can access for free at: http://nn.neurology.org/content/3/3/e237.full.html##ref-list-1
Citations	This article has been cited by 1 HighWire-hosted articles: http://nn.neurology.org/content/3/3/e237.full.html##otherarticles
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): Alzheimer's disease http://nn.neurology.org/cgi/collection/alzheimers_disease
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://nn.neurology.org/misc/about.xhtml#permissions
Reprints	Information about ordering reprints can be found online: http://nn.neurology.org/misc/addir.xhtml#reprintsus

Neurol Neuroimmunol Neuroinflamm is an official journal of the American Academy of Neurology. Published since April 2014, it is an open-access, online-only, continuous publication journal. Copyright © 2016 American Academy of Neurology. All rights reserved. Online ISSN: 2332-7812.